

PURPLE BEER LINE SANITISER

Page: 1

Compilation date: 18.10.12

Revision No: 4

# Section 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product name: PURPLE BEER LINE SANITISER

Product code: 1731/01

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

# 1.3. Details of the supplier of the safety data sheet

Company name: Greyland Ltd

Unit 9

Fifth Avenue

Tameside Park Industrial Estate

Dukinfield Cheshire SK16 4PP

Tel: +44 (0) 161 343 3830

Fax: +44 (0) 161 343 0608

Email: sales@greyland.co.uk

## 1.4. Emergency telephone number

## Section 2: Hazards identification

## 2.1. Classification of the substance or mixture

Classification under CHIP: C: R34

Most important adverse effects: Causes burns.

# 2.2. Label elements

Label elements under CHIP:

Hazard symbols: Corrosive.



Risk phrases: R34: Causes burns.

Safety phrases: S26: In case of contact with eyes, rinse immediately with plenty of water and seek

medical advice.

S36/37/39: Wear suitable protective clothing, gloves and eye / face protection.

S45: In case of accident or if you feel unwell, seek medical advice immediately (show

the label where possible).

### PURPLE BEER LINE SANITISER

Page: 2

1-10%

Precautionary phrases: Warning! Do not use with other products. May release dangerous gases (chlorine).

### 2.3. Other hazards

**PBT:** This product is not identified as a PBT substance.

### Section 3: Composition/information on ingredients

### 3.2. Mixtures

215-185-5

## Hazardous ingredients:

#### POTASSIUM PERMANGANATE

EINECS	CAS	CHIP Classification	CLP Classification	Percent			
231-760-3	7722-64-7	O: R8; Xn: R22; N: R50/53	Ox. Sol. 2: H272; Acute Tox. 4: H302; Aquatic Chronic 1: H410; Aquatic Acute 1: H400	<1%			
SODIUM HYDROXIDE							

# SODIUM HYPOCHLORITE SOLUTION CL ACTIVE

1310-73-2

231-668-3	7681-52-9	-: R31; C: R34; N: R50	Skin Corr. 1B: H314; Aquatic Acute 1:	1-10%
			H400; -: EUH031	

# Section 4: First aid measures

# 4.1. Description of first aid measures

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin.

Drench the affected skin with running water for 10 minutes or longer if substance is still

Skin Corr. 1A: H314

on skin. Transfer to hospital if there are burns or symptoms of poisoning.

Eye contact: Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist

examination.

C: R35

Ingestion: Wash out mouth with water. Do not induce vomiting. Give 1 cup of water to drink every 10

minutes. If unconscious, check for breathing and apply artificial respiration if necessary. If unconscious and breathing is OK, place in the recovery position. Transfer to hospital

in unconscious and breathing is Ork, place in the recovery position. Transfer to nospital

as soon as possible.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. If

unconscious and breathing is OK, place in the recovery position. If conscious, ensure the casualty sits or lies down. If breathing becomes bubbly, have the casualty sit and

provide oxygen if available. Transfer to hospital as soon as possible.

# 4.2. Most important symptoms and effects, both acute and delayed

Skin contact: Blistering may occur. Progressive ulceration will occur if treatment is not immediate.

**Eye contact:** Corneal burns may occur. May cause permanent damage.

Ingestion: Corrosive burns may appear around the lips. Blood may be vomited. There may be

bleeding from the mouth or nose.

### PURPLE BEER LINE SANITISER

Page: 3

**Inhalation:** There may be shortness of breath with a burning sensation in the throat. Exposure may

cause coughing or wheezing.

## 4.3. Indication of any immediate medical attention and special treatment needed

# Section 5: Fire-fighting measures

# 5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray

to cool containers.

## 5.2. Special hazards arising from the substance or mixture

**Exposure hazards:** Corrosive. In combustion emits toxic fumes.

## 5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact

with skin and eyes.

### Section 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Notify the police and fire brigade immediately. If outside keep bystanders upwind and

away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Do not attempt to take action without suitable protective clothing - see section 8 of SDS. Turn leaking containers leak-side up to prevent the

escape of liquid.

# 6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

# 6.3. Methods and material for containment and cleaning up

Clean-up procedures: Clean-up should be dealt with only by qualified personnel familiar with the specific

substance. Absorb into dry earth or sand. Transfer to a closable, labelled salvage

container for disposal by an appropriate method.

#### 6.4. Reference to other sections

# Section 7: Handling and storage

#### 7.1. Precautions for safe handling

**Handling requirements:** Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.

Do not handle in a confined space. Avoid the formation or spread of mists in the air.

# 7.2. Conditions for safe storage, including any incompatibilities

**Storage conditions:** Store in cool, well ventilated area. Keep container tightly closed.

Suitable packaging: Must only be kept in original packaging.

## PURPLE BEER LINE SANITISER

Page: 4

# 7.3. Specific end use(s)

# Section 8: Exposure controls/personal protection

# 8.1. Control parameters

# Hazardous ingredients:

# **SODIUM HYDROXIDE**

## Workplace exposure limits:

## Respirable dust

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	-	2 mg/m3	-	-

### 8.1. DNEL/PNEC Values

### **DNEL / PNEC** No data available.

## 8.2. Exposure controls

**Engineering measures:** Ensure there is sufficient ventilation of the area.

Respiratory protection: Self-contained breathing apparatus must be available in case of emergency.

Hand protection: Impermeable gloves.

**Eye protection:** Tightly fitting safety goggles. Ensure eye bath is to hand.

**Skin protection:** Impermeable protective clothing.

# Section 9: Physical and chemical properties

# 9.1. Information on basic physical and chemical properties

State: Liquid

Colour: Dark purple

Odour: Characteristic odour

Oxidising: Non-oxidising (by EC criteria)

Solubility in water: Soluble

Viscosity: Non-viscous

Flash point°C: >70 pH: 12.5

# 9.2. Other information

Other information: No data available.

# Section 10: Stability and reactivity

## 10.1. Reactivity

# 10.2. Chemical stability

Chemical stability: Stable under normal conditions.

## PURPLE BEER LINE SANITISER

Page: 5

# 10.3. Possibility of hazardous reactions

## 10.4. Conditions to avoid

Conditions to avoid: Heat.

### 10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

# 10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

# **Section 11: Toxicological information**

# 11.1. Information on toxicological effects

# Hazardous ingredients:

## **POTASSIUM PERMANGANATE**

ORL	MUS	LD50	2157	mg/kg
ORL	RAT	LD50	1090	mg/kg

### SODIUM HYDROXIDE

IPR	MUS	LD50	40	mg/kg
ORL	RBT	LDLO	500	mg/kg

# **SODIUM HYPOCHLORITE SOLUTION...100% CL ACTIVE**

ORL   MUS   LD50   5800   mg/kg	ORL	MUS	LD50	5800	mg/kg
---------------------------------	-----	-----	------	------	-------

## Relevant effects for mixture:

Effect	Route	Basis
Corrosivity	OPT INH DRM	Hazardous: calculated

## Symptoms / routes of exposure

Skin contact: Blistering may occur. Progressive ulceration will occur if treatment is not immediate.

**Eye contact:** Corneal burns may occur. May cause permanent damage.

Ingestion: Corrosive burns may appear around the lips. Blood may be vomited. There may be

bleeding from the mouth or nose.

**Inhalation:** There may be shortness of breath with a burning sensation in the throat. Exposure may

cause coughing or wheezing.

# Section 12: Ecological information

# 12.1. Toxicity

Ecotoxicity values: No data available.

## PURPLE BEER LINE SANITISER

Page: 6

# 12.2. Persistence and degradability

Persistence and degradability: The surfactants in this product comply with the biodegradability criteria as laid down in

Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at

the disposal of the component authorities of the Member States and will be made

available to them at their direct request or at the request of the detergent manufacturer.

## 12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: Readily absorbed into soil.

### 12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT substance.

### 12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

# **Section 13: Disposal considerations**

# 13.1. Waste treatment methods

**NB:** The user's attention is drawn to the possible existence of regional or national

regulations regarding disposal.

# **Section 14: Transport information**

### 14.1. UN number

UN number: UN1791

# 14.2. UN proper shipping name

Shipping name: HYPOCHLORITE SOLUTION

# 14.3. Transport hazard class(es)

Transport class: 8

### 14.4. Packing group

Packing group: III

### 14.5. Environmental hazards

Environmentally hazardous: No Marine pollutant: No

# 14.6. Special precautions for user

# **Section 15: Regulatory information**

### PURPLE BEER LINE SANITISER

Page: 7

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## 15.2. Chemical Safety Assessment

## **Section 16: Other information**

## Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No

453/2010.

\* indicates text in the SDS which has changed since the last revision.

Phrases used in s.2 and 3: EUH031: Contact with acids liberates toxic gas.

H272: May intensify fire; oxidiser.

H302: Harmful if swallowed.

H314: Causes severe skin burns and eye damage.

H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.

R8: Contact with combustible material may cause fire.

R22: Harmful if swallowed.

R31: Contact with acids liberates toxic gas.

R34: Causes burns.

R35: Causes severe burns.

R50/53: Very toxic to aquatic organisms, may cause long-term adverse effects in the

aquatic environment.

R50: Very toxic to aquatic organisms.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive

and shall be used only as a guide. This company shall not be held liable for any

damage resulting from handling or from contact with the above product.